

Christmas in Ecuador

Species List | December 20 – 29 2024

with Naturalist Journeys



Compiled by guide Andrea Molina and our clients included Linda & Bill Clemente, Felicia & Nils Menten, Susan & Jim Murphy, Katherine Harris, Tom Keyser, Kathryn Garner, Leslie Fields and Jeff Lindholm.

Discover the natural and cultural treasures of Ecuador on an unforgettable journey designed for this special holiday. During this adventure, we will explore some of the most diverse regions from the lush cloud forest to the majestic Andes!.

We'll have the chance to spot some of Ecuador's 1.600 +bird species, including Andean Condor, Andean cock of the Rock and an array of hummingbirds.

In addition to immersing yourself in nature, you'll delve into vibrant culture by visiting indigenous towns, traditional markets well known in the country; this is a great experience where nature and culture come together to create lifelong memories.

The eBird link below details the 192 species of birds our group observed during the tour. If you're new to eBird, be sure to click "Show All Details" on the right side of the list to expand the report and reveal where and when each of the birds were seen and how many.

[Christmas in Ecuador | December 20-29, 2024 | eBird Trip Report](#)

Following is a list of the birds, mammals, reptiles and amphibians we were fortunate to observe during the trip.

BIRDS(192):

Family or Species Common Name Scientific Name: — ()

DUCKS, GEESE, AND SWANS: Anatidae — (4)

Torrent Duck *Merganetta armata* — (x) Male and female for long time seen along the river trail in Guango Lodge.

Yellow-billed Pintail *Anas georgica* — (x) Seen from the highway in Papallacta lake, a long way from the road but good enough for a good ID.

Andean Teal *Anas andium* — (x) Seen by marshy areas at the entrance of The Antenas area in Cayambe-Coca Nacional Park and later together Yellow-billed Pintail in Papallacta lake.

Andean Duck *Oxyura ferruginea* — (x) First seen in San Pablo lake after lunch in Cabañas el Lago, Imbabura Province, later in La Mica Lake in Antisana.

GUANS AND CURASSOWS: Cracidae — (2)

Andean Guan *Penelope montagnii* — (x) A couple by the side of the road going to Baños area in Cayambe-Coca Nacional Park, uphill the Hotspring Resort.

Crested Guan *Penelope purpurascens* - (x) A group feeding in Paz de las Aves Reserve feeding on berries in front of the restaurant.

PIGEONS AND DOVES: Columbidae — (7)

Rock Pigeon (I) *Columba livia* — (x) along the driving in populated areas.

Band-tailed Pigeon *Patagioenas fasciata* — (x) Feeding in bushes from the deck in Guaycapi Lodge.

Black-winged Ground Dove *Metriopelia melanoptera* — (x) A huge flock in Antisana feeding on the ground before to reach La Mica Lake.

Eared Dove *Zenaida auriculata* — (x) Around the beautiful gardens in Cusin Hacienda

White-tipped Dove *Leptotila verreauxi* —(x) Walking below the feeders in San Tadeo Birding Reserve.

White throated Quail Dove *Zentrygon frenata* —(x) Mashpi Lodge.

Purple Quail-Dove *Geotrygon purpurata* —(x) Mashpi Lodge.

CUCKOOS Cuculidae — (1)

Squirrel Cuckoo *Piaya cayana* —(x) On our way to breakfast in Sachatamia Lodge.

NIGHTJARS Caprimulgidae — (3)

Short tailed Nighthawk *Lurocalis semitorquatus* —(x) Roosting on a tall tree in Refugio Paz de las Aves.

Common Pauraque *Nyctidromus albicollis* —(x) Mashpi Lodge.

Lyre-tailed Nightjar *Uropsalis lyra*—(x) Roosting by the road in Refugio Paz de las Aves.

SWIFTS: Apodidae — (1)

White-collared Swift *Streptoprocne zonaris* — (x) Mashpi lodge and Antisana Ecological Reserve fields.

HUMMINGBIRDS: Trochilidae — (32)

White-necked Jacobin *Florisuga mellivora*— (x) Feeders at Alambi Hummingbird's Garden.

White-whiskered Hermit *Phaethornis yaruqui*— (x) Mashpi Lodge.

Sparkling Violetear *Colibri coruscans* — (x) Visiting flowers around Cuicocha Lake and feeders in Tambocondor.

Brown Violetear *Colibri delphinae*— (x) Feeders in several places in northwest.

Tourmaline Sunangel *Heliangelus exortis* — (x) Feeders and flowers in Guango Lodge.

Green Thorntail *Discosura conversii*— (x) Mashpi Lodge and Sachatamia Lodge feeders.

Speckled Hummingbird *Adelomyia melanogenys* — (x) Feeders in Paz de las Aves and Guaycapi Lodge.

Long-tailed Sylph *Agelaiocercus kingii* — (x) Feeders and flowers in Guango Lodge.

Violet-tailed Sylph *Agelaiocercus coelestis*— (x) Mashpi Lodge and feeders in Sachatamia.

Black-tailed Trainbearer *Lesbia victoriae* — (x) in high altitude, after lunch in Cabañas del Lago and Tambocondor.

Tyrian Metaltail *Metallura tyrianthina* — (x) Cuicocha Lake and feeders in Tambocondor restaurant.

Viridian Metaltail *Metallura williami* — (x) Entrance of Ranger's house in Baños, Cayambe-Coca National Park.

Shining Sunbeam *Aglaeactis cupripennis* — (x) Feeders in Tambocondor Restaurant.

Brown Inca *Coeligena wilsoni*— (x) Feeders in Sachatamia.

Collared Inca *Coeligena torquata* — (x) Quick view by flowers in Guango Lodge.

Mountain Velvetbreast *Lafresnaya lafresnayi* — (x) Feeding in flowers in Guango Lodge.

Sword-billed Hummingbird *Ensifera ensifera* — (x) Spotted by Felicia in Antisanilla deck.

Great Sapphirewing *Pterophanes cyanopterus* — (x) Quick view in Tambocondor Restaurant feeders.

Buff-tailed Coronet *Boissonneaua flavescens* — (x) Widely spread in feeders in northwest Ecuador.

Chestnut-breasted Coronet *Boissonneaua matthewsii* — (x) Visiting feeders on Guango Lodge.

Velvet-purple Coronet *Boissonneaua jardini*— (x) Mashpi and Sachatamia Lodges.

White-booted Racket-tail *Ocreatus underwoodii*— (x) Sachatamia feeders.

Purple-bibbed Whitetip *Urosticte benjamini*— (x) Mashpi and Sachatamia feeders.
Fawn-breasted Brilliant *Heliodoxa rubinoides* — (x) Feeders in Guaycapi Lodge.
Green-crowned Brilliant *Heliodoxa jacula*— (x) Feeders in Alambi reserve.
Empress Brilliant *Heliodoxa imperatrix*— (x) Mashpi Lodge.
Giant Hummingbird *Patagona gigas* — (x) Feeders in Tambocondor Restaurant.
White-bellied Woodstar *Chaetocercus mulsant* — (x) Feeders in Guango Lodge
Purple-throated Woodstar *Philodice mitchellii*— (x) Feeders in Alambi Reserve.
Crowned Woodnymph *Thalurania colombica*— (x) Feeders in Alambi Reserve.
Rufous-tailed Hummingbird *Amazilia tzacatl*— (x) Feeders in Alambi Reserve.
Andean Emerald *Uranomitra franciae*— (x) Feeders in Alambi Reserve.

RAILS, CRAKES, AND ALLIES: Rallidae — (2)

Virginia Rail *Rallus limicola* — (x) Heard Only by San Pablo Lake.
Slate-colored Coot *Fulica ardesiaca* — (x) San Pablo Lake during lunch.

SEEDSNIPE Thinocoridae — (1)

Rufous-bellied Seedsnipe *Attagis gayi* — (x) Near to the highest point in Papallacta Pass.

PLOVERS AND LAPWINGS: Charadriidae — (1)

Andean Lapwing *Vanellus resplendens* — (x)

GULLS AND TERNS: Laridae — (1)

Andean Gull *Chroicocephalus serranus* — (x) Near La Mica Lake in Antisana Ecological Reserve.

CORMORANTS: Phalacrocoracidae — (1)

Neotropic Cormorant *Nannopterum brasilianum* — (x) A couple standing by the lake in San Pablo.

HERONS AND EGRETS: Ardeidae — (1)

Cattle Egret *Bubulcus ibis* — (x) A group with cattle in our driving to Cuicocha Lake.

IBISES AND SPOONBILLS: Threskiornithidae — (1)

Andean Ibis *Theristicus branickii* — (x) A very close view in Antisana Ecological Reserve fields.

NEW WORLD VULTURES: Cathartidae — (2)

Andean Condor *Vultur gryphus* — (x) An excellent view of an adult crossing in front of the group, two more after that.
Black Vulture *Coragyps atratus* — (x) Along the driving in main roads.

HAWKS, KITES, AND EAGLES: Accipitridae — (4)

Swallow tailed Kite *Elanoides forficatus* — (x) Mashpi Lodge
Variable Hawk *Geranoaetus polyosoma* — (x) Soaring in Papallacta Pass.
Black-chested Buzzard-Eagle *Geranoaetus melanoleucus* — (x) On our way back to Tambocondor in Antisana Ecological Reserve.
Broad-winged Hawk *Buteo platypterus*— (x) On our driving in Paz de as Aves.

OWLS: Strigidae — (1)

Cloud Forest Pygmy-Owl *Glaucidium nubicola*— (x) A lovely couple spotted by Paz's brothers on the road.

TROGONS: Trogonidae — (4)

Golden-headed Quetzal *Pharomachrus auriceps* — (x) in Refugio Paz de las Aves

Blue-tailed Trogon *Trogon comptus*— (x) Mashpi lodge

Collared Trogon *Trogon collaris*— (x) Mashpi Lodge

Masked Trogon *Trogon personatus* — (x) Hide in Sachatamia Lodge.

MOTMOTS: Momotidae — (1)

Rufous Motmot *Baryphthengus martii* — (x) In the moth train Sachatamia Lodge.

NEW WORL BARBETS: Capitonidae — (1)

Toucan Barbet *Semnornis ramphastinusi* — (x) Very close in feeders in Reserva Paz ed las Aves.

TOUCANS: Ramphastidae — (3)

Crimson-rumped Toucanet *Aulacorhynchus haematopygus*— (x) Mashpi Lodge

Plate billed Mountain-Toucan *Andigena laminirostris* — (x) Feeders in Guaycapi Lodge

Collared Aracari *Pteroglossus torquatus*— (x) Feeders in Sachatamia Lodge

WOODPECKERS: Picidae — (5)

Black-cheeked Woodpecker— (x) Mashpi Lodge

Smoky-brown Woodpecker — (x) Quick view in Sachatamia Lodge

Yellow-vented Woodpecker — (x) A couple came very close in Refugio Paz de las Aves.

Golden-olive Woodpecker— (x) Feeders in Alambi Reserve.

Crimson-mantled Woodpecker *Colaptes rivolii* — (x) Close view in Refugio Paz de las Aves.

FALCONS AND CARACARAS: Falconidae — (2)

Carunculated Caracara *Daptrius carunculatus* — (x) Widely spread in Antisana Ecological Reserve.

American Kestrel *Falco sparverius* — (x) Perched on the wires in the driving towards Imbabura Province.

PARROTS: Psittacidae — (3)

Rose faced Parrot *Pyrilia pulchra*— (x) Mashpi Lodge

Red billed Parrot *Pionus sordidus*— (x) Perched on a palm tree in Refugio Paz de las Aves.

Maroon-tailed Parakeet *Pyrrhura melanura*— (x) A flock feeding on a tree in Refugio Paz de las Aves.

ANTPITTAS: Grallariidae — (5)

Giant Antpitta *Grallaria gigantea*— (x) Well known in Refugio Paz de las Aves.

Yellow-breasted Antpitta *Grallaria flavotincta*— (x) By the road in Refugio Paz de las Aves.

Ochre-breasted Antpitta *Grallaricula flavirostris*— (x) Feeding station in Refugio Paz de las Aves.

Tawny Antpitta *Grallaria quitensis*— (x) Running in an opening in Papallacta Pass

Chestnut-crowned Antpitta *Grallaria ruficapilla* — (x) Feeding station in Refugio Paz de las Aves.

TAPACULOS: Rhinocryptidae — (1)

Paramo Tapaculo *Scytalopus opacus* — (x) Heard only in Papallacta area, above the hot spring resort.

ANTHRUSHES: Formicariidae — (1)

Rufous-breasted Antthrush *Formicarius rufipectus* — (x) Visiting worm feeders in Refugio Paz de las Aves.

OVENBIRDS AND WOODCREEPERS: Furnariidae — (14)

Strong-billed Woodcreeper *Xiphocolaptes promeropirhynchus* — (x) Seen in San Tadeo Birding working in a bromeliad and later in Refugio Paz de las Aves.

Plain-brown Woodcreeper — (x) One of the visitors of the moth trap in Sachatamia Lodge.

Spotted Woodcreeper — (x) One of the visitors of the moth trap in Sachatamia Lodge.

Montane Woodcreeper *Lepidocolaptes lacrymiger* — (x) in Refugio Paz de las Aves.

Chestnut-winged Cinclodes *Cinclodes albidiventris* — (x) By the road in Antisana, came in front of the group.

Scaly-throated Foliage Gleaner — (x) Mashpi Lodge.

Lineated Foliage Gleaner — (x) One of the visitors of the moth trap in Sachatamia Lodge.

Buff-fronted Foliage Gleaner — (x) Mashpi Lodge

Streaked-capped Treehunter — (x) One of the visitors of the moth trap in Sachatamia Lodge.

Spotted Barbtail— (x) One of the visitors of the moth trap in Sachatamia Lodge.

Stout-billed Cinclodes *Cinclodes excelsior* — (x) At the same time that Chestnut-winged Cinclodes in Antisana Ecological Reserve.

Andean Tit-Spinetail *Leptasthenura andicola* — (x) On the top of a bush in Papallacta Pass.

White-chinned Thistletail *Asthenes fuliginosa* — (x) On the top of a bush in Papallacta Pass.

Azara's Spinetail *Synallaxis azarae* — (x) Heard only in Guaycapi lodge.

COTINGAS: Cotingidae — (5)

Orange-breasted Fruiteater *Pipreola jucunda*— (x) A pair seen very close in Refugio Paz de las Aves.

Red-crested Cotinga *Ampelion rubrocristatus* — (x) Seen in Papallacta village and Pass from the car.

Andean Cock-of-the-rock *Rupicola peruvianus*— (x) Around 5 individuals in the lek in Refugio Paz de las Aves.

Long-wattled Umbrellabird *Cephalopterus penduliger*— (x) In Sachatamia Lodge, first by the parking place and later in the moth trap.

Black-tipped Cotinga *Carpodectes hopkei*— (x) Mashpi Lodge.

TITYRAS AND BECARDS: Tityridae — (1)

Cinnamon Becard *Pachyramphus cinnamomeus* — (x) Mashpi Lodge.

TYRANT FLYCATCHERS: Tyrannidae — (14)

Slaty-capped Flycatcher *Leptopogon superciliaris*— (x) Mashpi Lodge.

Ornate Flycatcher *Myiotriccus ornatus*— (x) Mashpi Lodge and road of the same area.

White-banded Tyrannulet *Mecocerculus stictopterus* — (x) Moving in a mix flock in Guango Lodge.

Tufted Tit-Tyrant *Anairetes parulus* — (x) Feeding around bushes in Antisana Ecological Reserve.

White-crested Elaenia *Elaenia albiceps* — (x) Several individuals on the trail to Cuicocha Lake view point.

Black Phoebe *Sayornis nigricans* — (x) By the river at the entrance of Refugio Paz de las Aves.

Vermilion Flycatcher *Pyrocephalus rubinus* — (x) After lunch in the gardens of Cabañas del Lago.

Plain-capped Ground-Tyrant *Muscisaxicola alpinus* — (x) Top of a hut in Antisana Ecological Reserve.

Red-rumped Bush-Tyrant *Cnemarchus erythropygius* — (x) Perched on a wire in Papallacta Pass.

Black-billed Shrike-Tyrant *Agriornis montanus* — (x) By the road near an abandoned house in Antisana Ecological Reserve.

Brown-backed Chat-Tyrant *Ochthoeca fumicolor* — (x) From the car in Papallacta Pass.
Rusty-margined Flycatcher *Myiozetetes cayanensis*— (x) Mashpi Lodge.
Golden-bellied Flycatcher *Myiodynastes hemichrysus*— (x) Visiting the moth trap in Sachatamia Lodge.
Tropical Kingbird *Tyrannus melancholicus* — (x) While driving, perched on wires.

CROWS AND JAYS: Corvidae — (1)

Turquoise Jay *Cyanolyca turcosa* — (x) Great views in the parking lot of Guango Lodge.

SWALLOWS AND MARTINS: Hirundinidae — (3)

Blue-and-white Swallow *Pygochelidon cyanoleuca* — (x) Mashpi Lodge and near Sachatamia Lodge.
Brown-bellied Swallow *Oreochelidon murina* — (x) Spotted in open fields in Antisana ecological Reserve.
Barn Swallow *Hirundo rustica* — (x) Together with Brown-bellied Swallow in Antisana.

WRENS: Troglodytidae — (5)

Mountain Wren *Troglodytes solstitialis* — (x) Visiting the moth trap in Sachatamia Lodge.
Grass Wren *Cistothorus platensis* — (x) Vocalizing from the grasses in Antisana ecological Reserve.
Rufous Wren *Cinnycerthia unirufa* — (x) Moving with a mix flock in Baños Area in Cayambe-Coca Reserve.
Gray-breasted Wood-Wren *Henicorhina leucophrys* — (x) Visiting the moth trap in Sachatamia Lodge.
Bay Wren *Cantorchilus nigricapillus* — (x) Mashpi Lodge.

DIPPERS: Cinclidae — (1)

White-capped Dipper *Cinclus leucocephalus* — (x) On a bridge during the early birding in Papallacta Village.

MOCKINGBIRDS AND THRASHERS: Mimidae — (1)

Tropical Mockingbird *Mimus gilvus* — (x) A couple seen on a field outside Hacienda Cusin.

THRUSHES: Turdidae — (4)

Swainson's Thrush *Catharus ustulatus* — (x) Mashpi Lodge and moth trap in Sachatamia Lodge.
Great Thrush *Turdus fuscater* — (x) Widely spread during the trip.
Ecuadorian Thrush *Turdus maculirostris*— (x) Visiting feeders in San Tadeo Birding.
Pale-vented Thrush *Turdus obsoletus*— (x) Mashpi Lodge.

FINCHES AND EUPHONIAS: Fringilidae — (2)

Thick-billed Euphonia *Euphonia laniirostris* — (x) Visiting feeders in San Tadeo Birding.
Orange-bellied Euphonia *Euphonia xanthogaster* — (x) Mashpi Lodge and San Tadeo Birding.

NEW WORLD SPARROWS: Passerellidae — (8)

Yellow-throated Chlorospingus *Chlorospingus flavigularis* — (x) Mashpi Lodge.
Dusky Chlorospingus *Chlorospingus semifuscus*— (x) Feeders in Sachatamia and Guaycapi Lodges.
Chestnut-capped Brushfinch *Arremon brunneinucha* — (x) Visiting the moth trap in Sachatamia Lodge.
Rufous-collared Sparrow *Zonotrichia capensis* — (x) Very well spread.
Slaty Brushfinch *Atlapetes schistaceus* — (x) Moving with a mix flock in Guango Lodge.
Pale-naped Brushfinch *Atlapetes pallidinucha* — (x) By the corner of the interpretation center in Cayambe-Coca Reserve.
Yellow-breasted Brushfinch *Atlapetes latinuchus* — (x) While having lunch in Tambocondor, Antisana.

White-winged Brushfinch *Atlapetes leucopterus*— (x) Feeders in Guaycapi Lodge.

NEW WORLD BLACKBIRDS: Icteridae — (3)

Russet-backed Oropendola *Psarocolius angustifrons* — (x) Feeders in Alambi Reserve.

Scarlet-rumped Cacique *Cacicus uropygialis* — (x) Mashpi Lodge.

Scrub Blackbird *Dives waczewiczi*— (x) Main feeders in Sachatamia Lodge near the agouties.

NEW WORLD WARBLERS: Parulidae — (6)

Blackburnian Warbler *Setophaga fusca* — (x) Mashpi Lodge and Papallacta Village.

Three-striped Warbler — (x) Visiting the moth trap in Sachatamia Lodge.

Black-crested Warbler *Myiothlypis nigrocristata* — (x) Early birding in Papallacta Village.

Canada Warbler *Cardellina canadensis* — (x) Moving with the mix flock in Guango Lodge.

Slate-throated Redstart — (x) Mashpi Lodge and moth trap in Sachatamia Lodge.

Spectacled Redstart *Myioborus melanocephalus* — (x) Great view from the restaurant Tambocondor in Antisana Ecological Reserve.

CARDINALS AND ALLIES: Cardinalidae — (3)

White-winged Tanager *Piranga leucoptera*— (x) Mashpi Lodge.

Ochre-breasted Tanager *Chlorothraupis stolzmanni*— (x) Mashpi Lodge.

Golden Grosbeak *Pheucticus chrysogaster* — (x) Around Hacienda Cusin.

TANAGERS AND ALLIES: Thraupidae — (31)

Black-capped Hemispingus *Kleinotheraupis atropileus* — (x) With a mix flock in Guango Lodge.

Black-chested Mountain Tanager *Cnemathraupis eximia* — (x) Early birding in Papallacta Village.

Masked Mountain Tanager *Tephrophilus wetmorei*— (x) Special mix flock in upper part of Cayambe-Coca Reserve

Lacrimose Mountain Tanager *Anisognathus lacrymosus* — (x) Early birding in Papallacta Village.

Blue-winged Mountain Tanager *Anisognathus somptuosus*— (x) Feeders in Guaycapi Lodge and Sachatamia Lodge.

Black-chinned Mountain Tanager *Anisognathus notabilis*— (x) Feeders in San Tadeo Birding.

Scarlet-bellied Mountain Tanager *Anisognathus igniventris* — (x) Seen in the trail towards Cuicocha Lake viewpoint.

Buff-breasted Mountain Tanager *Dubusia taeniata* — (x) Early birding in Papallacta Village.

Blue-and-yellow Tanager *Rauenia bonariensis* — (x) By the entrance of the Cuicocha Lake trail, female and male.

White-lined Tanager *Tachyphonus rufus*— (x) Feeders in Guaycapi Lodge and San Tadeo Birding.

Flame-rumped Tanager *Ramphocelus flammigerus* — (x) Well spread in feeders in Northwest.

Moss-backed Tanager *Bangsia edwardsi*— (x) Mashpi Lodge.

Glistening-green Tanager *Chlorochrysa phoenicotis*— (x) Mashpi Lodge.

Blue-gray Tanager *Thraupis episcopus* — (x) Well spread in feeders in Northwest.

Palm Tanager *Thraupis palmarum*— (x) Well spread in feeders in Northwest.

Golden-naped Tanager *Chalcothraupis ruficervix*— (x) Feeders in Sachatamia and Guaycapi Lodge.

Black-capped Tanager *Stilpnia heinei*— (x) Feeders in Sachatamia and Guaycapi Lodge.

Blue-necked Tanager *Stilpnia cyanicollis*— (x) Feeders in Sachatamia Lodge.

Blue and Black Tanager *Tangara vassorii*— (x) Early birding in Papallacta Village.

Flame-faced Tanager *Tangara parzudakii*— (x) Feeders in Sachatamia and Guaycapi Lodge.

Golden Tanager *Tangara arthus*— (x) Well spread in feeders in Northwest.

Silver-throated Tanager *Tangara icterocephala*— (x) Feeders in Sachatamia Lodge.

Golden-collared Honeycreeper *Iridophanes pulcherrimus*— (x) Mashpi Lodge.

Black Flowerpiercer *Diglossa humeralis* — (x) Visiting feeders in Tambocondor and Guango Lodge.
Masked Flowerpiercer *Diglossa cyanea* — (x) In hummibird's feeders in San Tadeo Birding.
Black-backed Bush Tanager *Urothraupis stolzmanni* — (x) Special mix flock in upper part of Cayambe-Coca Reserve
Plumbeous Sierra Finch *Geospizopsis unicolor* — (x) Well spread in Antisana and Papallacta Pass.
Ash-breasted Sierra Finch *Geospizopsis plebejus* — (x) Seen with Kathryn in Cabañas San Pablo after lunch.
Bananquit *Coereba flaveola*— (x) Feeders in Alambi.
Buff-throated Saltator *Saltator maximus*— (x) Mashpi Lodge.
Black-winged Saltator *Saltator atripennis*— (x) Quick visit in feeders in San Tadeo Birding.

MAMMALS: — (7)

Red-tailed Squirrel *Sciurus granatensis* — (x) Feeders in Northwest.
Andean Tapeti *Sylvilagus andinus* — (x) Along the road in Antisana ecological Reserve.
White-tailed Deer *Odocoileus virginianus* — (x) Along the road in Antisana ecological Reserve.
Culpeo *Lycalopex culpaeus* — (x) Along the road in Antisana ecological Reserve.
Black Agouti *Dasyprocta fuliginosa*— (x) Mashpi Lodge.
Central American Agouti *Dasyprocta punctata*— (x) Feeders in Sachatamia Lodge.
Tayra *Eira barbara*— (x) Feeders in San Tadeo Birding.

REPTILES AND AMPHIBIANS: — (2)

Pasture Rainfrog *Pristimantis lachatinus*— (x) Mashpi Lodge.
Labiated Rainfrog *Pristimantis labiosus*— (x) Mashpi Lodge.